Table ENG-5. - Sanitary Facilities


Louisa County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AbB:					-
Abell	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage Slope	1.00 0.68
Colfax	8	Not Rated		Not Rated	
Worsham	7	Not Rated		Not Rated	
AcB:					
Abell	85	Very limited Depth to saturated	1.00	Very limited Depth to saturated	1.00
		zone		zone	
		Restricted permeability	0.50	Seepage Slope	1.00 0.68
Lignum	5	Not Rated		Not Rated	
Roanoke	5	Not Rated		Not Rated	
Worsham	5	Not Rated		Not Rated	
AeB:					
Abell	85	Very limited		Very limited	
		Depth to saturated	1.00	Seepage	1.00
		zone Restricted	0.50	Depth to saturated zone	1.00
		permeability	0.00	Slope	0.68
Lignum	5	Not Rated		Not Rated	
Roanoke	5	Not Rated		Not Rated	
Worsham	5	Not Rated		Not Rated	
AIB:					
Altavista	85	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage Slope	1.00 0.68
Wickham	8	Not Rated		Not Rated	
Fork	7	Not Rated		Not Rated	
AnB2:					




Map Symbol and Soil Name	Pct of	of		Sewage Lagoons		
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	
AnB2: Appling	95	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.68	
Colfax	5	Not Rated		Not Rated		
AnC2: Appling	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 1.00	
Abell	5	Not Rated		Not Rated		
Colfax	5	Not Rated		Not Rated		
Iredell	5	Not Rated		Not Rated		
ApB3: Appling	85	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.68	
Abell	5	Not Rated		Not Rated		
Cecil	5	Not Rated		Not Rated		
Wedowee	5	Not Rated		Not Rated		
ArC3: Appling	40	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 1.00	
Wedowee	35	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50	
Ashlar	7	Not Rated		Not Rated		
Cecil	6	Not Rated		Not Rated		
Durham	6	Not Rated		Not Rated		
Sekil	6	Not Rated		Not Rated		
AsB:						



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and con realing	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AsB: Ashlar	85	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.68
Appling	4	Not Rated		Not Rated	
Grover	4	Not Rated		Not Rated	
Wedowee	4	Not Rated		Not Rated	
Abell	3	Not Rated		Not Rated	
AsC: Ashlar	85	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Appling	4	Not Rated		Not Rated	
Grover	4	Not Rated		Not Rated	
Wedowee	4	Not Rated		Not Rated	
Abell	3	Not Rated		Not Rated	
AsC3: Ashlar	85	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Appling	6	Not Rated		Not Rated	
Grover	6	Not Rated		Not Rated	
Rock outcrop	3	Not Rated		Not Rated	
AsD: Ashlar	85	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Appling	4	Not Rated		Not Rated	
Grover	4	Not Rated		Not Rated	
Wedowee	4	Not Rated		Not Rated	



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and con Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AsD: Rock outcrop	3	Not Rated	•	Not Rated	•
AsD3: Ashlar	95	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Rock outcrop	5	Not Rated		Not Rated	
AV: Ashlar	35	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Manteo	30	Very limited Depth to bedrock Slope	1.00 1.00	Not Rated	
Rock outcrop	25	Not Rated		Not Rated	
Appling	4	Not Rated		Not Rated	
Grover	3	Not Rated		Not Rated	
Nason	3	Not Rated		Not Rated	
CcB2: Cecil	90	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
Cullen	6	Not Rated		Not Rated	
Abell	4	Not Rated		Not Rated	
CcC2: Cecil	95	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Abell	5	Not Rated		Not Rated	
CeB3: Cecil	90	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50



Map Symbol and Soil Name	Septic Tank Pct Absorption Fields of			Sewage Lagoons	
and con Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CeB3:		•			
Abell	5	Not Rated		Not Rated	
Pacolet	5	Not Rated		Not Rated	
CfC3:					
Cecil	45	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
Pacolet	35	Somewhat limited		Very limited	
		Restricted	0.50	Slope	1.00
		permeability Slope	0.37	Seepage	0.50
Cullen	7	Not Rated	0.07	Not Rated	
Odilett	,	Not Nated		Not Nated	
Madison	7	Not Rated		Not Rated	
Abell	6	Not Rated		Not Rated	
CfL:					
Cut and fill land	100	Not Rated		Not Rated	
Ch:					
Chewacla	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Congaree	8	Not Rated		Not Rated	
Wehadkee	7	Not Rated		Not Rated	
CIB:					
Colfax	85	Very limited		Very limited	
		Depth to cemented	1.00	Depth to cemented	1.00
		pan	1 00	pan Slope	0.68
		Depth to saturated zone	1.00	Siope Seepage	0.50
		Restricted permeability	0.50		
Durham	8	Not Rated		Not Rated	
Worsham	7	Not Rated		Not Rated	
Cn:					



	Pct	Septic Tank Absorption Fields		Sewage Lagoons	
Map Symbol and Soil Name	of Map				
	Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Cn:					
Congaree	85	Very limited	4.00	Very limited	4.00
		Flooding Restricted	1.00 0.50	Flooding Seepage	1.00 0.50
		permeability	0.50	Seepage	0.50
		Depth to saturated zone	0.50		
Chewacla	8	Not Rated		Not Rated	
Тоссоа	7	Not Rated		Not Rated	
CO:					
Congaree	45	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted permeability	0.50	Seepage	0.50
		Depth to saturated	0.50		
		zone			
Chewacla	40	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated	1.00	Depth to saturated	1.00
		zone Restricted	0.50	zone Seepage	0.50
		permeability	0.00	Осорадо	0.00
Тоссоа	8	Not Rated		Not Rated	
Wehadkee	7	Not Rated		Not Rated	
CuB2:					
Cullen	85	Somewhat limited		Somewhat limited	
		Restricted	0.50	Slope	0.68
		permeability		Seepage	0.50
Abell	5	Not Rated		Not Rated	
Enon	5	Not Rated		Not Rated	
Mecklenburg	5	Not Rated		Not Rated	
CuC2:					
Cullen	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
Abell	8	Not Rated		Not Rated	
Poindexter	7	Not Rated		Not Rated	
CwB3:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and don Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CwB3: Cullen	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
Cecil	5	Not Rated		Not Rated	
Tatum	5	Not Rated		Not Rated	
Turbeville	5	Not Rated		Not Rated	
CwC3: Cullen	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Fluvanna	8	Not Rated		Not Rated	
Poindexter	7	Not Rated		Not Rated	
DuB: Durham	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Appling	8	Not Rated		Not Rated	
Colfax	7	Not Rated		Not Rated	
Eb: Elbert	85	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 0.70	Very limited Depth to saturated zone Depth to soft bedrock	1.00 0.26
Iredell	8	Not Rated		Not Rated	
Zion	7	Not Rated		Not Rated	
FIB2: Fluvanna	85	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.68
Cullen	8	Not Rated		Not Rated	
Orange	7	Not Rated		Not Rated	
FIC2:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and 3011 Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
FIC2:					•
Fluvanna	85	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.37		
Nason	8	Not Rated		Not Rated	
Sekil	7	Not Rated		Not Rated	
FN:					
Fluvaquents	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Seepage Depth to saturated	1.00 1.00
		Filtering capacity	1.00	zone	1.00
Shallow water	10	Not Rated		Not Rated	
Fo:					
Forestdale	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
Fork	8	Not Rated		Not Rated	
Wehadkee	7	Not Rated		Not Rated	
FrB:					
Fork	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
Altavista	8	Not Rated		Not Rated	
Forestdale	7	Not Rated		Not Rated	
GrB2:					
Grover	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68 0.50
		permeability		Seepage	0.50
Appling	8	Not Rated		Not Rated	
Madison	7	Not Rated		Not Rated	
GrC2:					




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and con Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
GrC2: Grover	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Appling	8	Not Rated		Not Rated	
Ashlar	7	Not Rated		Not Rated	
GvB3: Grover	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
Abell	5	Not Rated		Not Rated	
Appling	5	Not Rated		Not Rated	
Madison	5	Not Rated		Not Rated	
GvC3: Grover	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Ashlar	8	Not Rated		Not Rated	
Madison	7	Not Rated		Not Rated	
IdB: Iredell	85	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 0.59	Somewhat limited Slope Depth to soft bedrock	0.68 0.13
Colfax	5	Not Rated		Not Rated	
Sekil	5	Not Rated		Not Rated	
Worsham	5	Not Rated		Not Rated	
IdB2: Iredell	85	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 0.59	Somewhat limited Slope Depth to soft bedrock	0.68 0.13



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and don Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
ldB2:					•
Cecil	5	Not Rated		Not Rated	
Cullen	5	Not Rated		Not Rated	
Sekil	5	Not Rated		Not Rated	
IdC2:					
Iredell	85	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability		Depth to soft bedrock	0.13
		Depth to saturated zone	1.00		
		Depth to bedrock	0.59		
Cecil	5	Not Rated		Not Rated	
Cullen	5	Not Rated		Not Rated	
Sekil	5	Not Rated		Not Rated	
IrA:					
Iredell	85	Very limited		Somewhat limited	
		Restricted permeability	1.00	Depth to soft bedrock	0.13
		Depth to saturated zone	1.00		
		Depth to bedrock	0.59		
Elbert	8	Not Rated		Not Rated	
Zion	7	Not Rated		Not Rated	
IrB:					
Iredell	85	Very limited		Somewhat limited	
		Restricted permeability	1.00	Slope Depth to soft bedrock	0.68
		Depth to saturated zone	1.00	Depth to soft bedrock	0.13
		Depth to bedrock	0.59		
Poindexter	8	Not Rated		Not Rated	
Zion	7	Not Rated		Not Rated	
lv:					
Iredell	85	Very limited		Somewhat limited	
		Restricted	1.00	Depth to soft bedrock	0.13
		permeability	4.00		
		Depth to saturated zone	1.00		
		Depth to bedrock	0.59		



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
lv: Abell	5	Not Rated		Not Rated	
Elbert	5	Not Rated		Not Rated	
Zion	5	Not Rated		Not Rated	
LgB: Lignum	85	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 0.64	Somewhat limited Slope Depth to soft bedrock	0.68 0.18
Abell	8	Not Rated		Not Rated	
Worsham	7	Not Rated		Not Rated	
MaB2: Madison	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
Cecil	7	Not Rated		Not Rated	
Grover	7	Not Rated		Not Rated	
Rock outcrop	1	Not Rated		Not Rated	
MaC2: Madison	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Abell	5	Not Rated		Not Rated	
Ashlar	5	Not Rated		Not Rated	
Grover	4	Not Rated		Not Rated	
Rock outcrop	1	Not Rated		Not Rated	
Md: Mine dump	100	Not Rated		Not Rated	
MdB3: Madison	95	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50



Map Symbol and Soil Name	Pct of	of		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MdB3:	<u> </u>	•			
Grover	5	Not Rated		Not Rated	
MdC3:					
Madison	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Ashlar	7	Not Rated		Not Rated	
Grover	7	Not Rated		Not Rated	
Rock outcrop	1	Not Rated		Not Rated	
MnB: Manteo	85	Very limited Depth to bedrock Content of large stones	1.00 <0.01	Not Rated	
Abell	8	Not Rated		Not Rated	
Nason	7	Not Rated		Not Rated	
MnC:					
Manteo	95	Very limited Depth to bedrock Slope Content of large stones	1.00 0.37 <0.01	Not Rated	
Nason	5	Not Rated		Not Rated	
MnD:					
Manteo	85	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 <0.01	Not Rated	
Nason	7	Not Rated		Not Rated	
Tatum	7	Not Rated		Not Rated	
Rock outcrop	1	Not Rated		Not Rated	
MnE:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and Son Marie	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MnE: Manteo	95	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 <0.01	Not Rated	
Rock outcrop	5	Not Rated		Not Rated	
MoC: Manteo	85	Very limited Depth to bedrock Content of large stones Slope	1.00 0.68 0.37	Not Rated	
Abell	8	Not Rated		Not Rated	
Nason	7	Not Rated		Not Rated	
MoD: Manteo	90	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 0.68	Not Rated	
Nason	7	Not Rated		Not Rated	
Rock outcrop	3	Not Rated		Not Rated	
MsB2: Masada	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
Altavista	8	Not Rated		Not Rated	
Turbeville	7	Not Rated		Not Rated	
MsC2: Masada	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Appling	8	Not Rated		Not Rated	
Ashlar	7	Not Rated		Not Rated	
MuB2:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MuB2:	•		•		•
Mecklenburg	45	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.68 0.50
Enon	40	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.68 0.50
Cullen	5	Not Rated		Not Rated	
Iredell	5	Not Rated		Not Rated	
Zion	5	Not Rated		Not Rated	
MuC2:					
Mecklenburg	40	Very limited Restricted permeability Slope	1.00 0.37	Very limited Slope Seepage	1.00 0.50
Enon	35	Very limited Restricted permeability Slope	1.00 0.37	Very limited Slope Seepage	1.00 0.50
Poindexter	9	Not Rated		Not Rated	
Zion	9	Not Rated		Not Rated	
Rock outcrop	7	Not Rated		Not Rated	
MvC3:					
Mecklenburg	40	Very limited Restricted permeability Slope	1.00 0.37	Very limited Slope Seepage	1.00 0.50
Enon	35	Very limited Restricted permeability Slope	1.00 0.37	Very limited Slope Seepage	1.00 0.50
Poindexter	9	Not Rated		Not Rated	
Zion	9	Not Rated		Not Rated	
Rock outcrop	7	Not Rated		Not Rated	
NaD2:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and Som Hams	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
NaD2: Nason	85	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.52 0.50	Very limited Slope Seepage Depth to soft bedrock	1.00 0.50 0.08
Abell	7	Not Rated		Not Rated	
Manteo	7	Not Rated		Not Rated	
Rock outcrop	1	Not Rated		Not Rated	
NoB2: Nason	85	Somewhat limited Depth to bedrock Restricted permeability	0.52 0.50	Somewhat limited Slope Seepage Depth to soft bedrock	0.68 0.50 0.08
Abell	8	Not Rated		Not Rated	
Tatum	7	Not Rated		Not Rated	
NoC2: Nason	85	Somewhat limited Depth to bedrock Restricted permeability Slope	0.52 0.50 0.37	Very limited Slope Seepage Depth to soft bedrock	1.00 0.50 0.08
Manteo	8	Not Rated		Not Rated	
Tatum	7	Not Rated		Not Rated	
NsB3: Nason	95	Somewhat limited Depth to bedrock Restricted permeability	0.52 0.50	Somewhat limited Slope Seepage Depth to soft bedrock	0.68 0.50 0.08
Tatum	5	Not Rated		Not Rated	
NsC3: Nason	95	Somewhat limited Depth to bedrock Restricted permeability Slope	0.52 0.50 0.37	Very limited Slope Seepage Depth to soft bedrock	1.00 0.50 0.08
Manteo	5	Not Rated		Not Rated	
OrB:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Field	s	Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
OrB:	•				•
Orange	85	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 0.78	Somewhat limited Slope Depth to soft bedrock Depth to saturated zone	0.68 0.42 0.02
Abell	5	Not Rated		Not Rated	
Fluvanna	5	Not Rated		Not Rated	
Poindexter	5	Not Rated		Not Rated	
OxB:					
Orange	55	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 0.78	Somewhat limited Slope Depth to soft bedrock Depth to saturated zone	0.68 0.42 0.02
Poindexter	35	Very limited Depth to bedrock	0.99	Very limited Seepage Depth to soft bedrock Slope	1.00 0.98 0.68
Elbert	4	Not Rated		Not Rated	
Abell	3	Not Rated		Not Rated	
Fluvanna	3	Not Rated		Not Rated	
PaB2: Pacolet	45	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
Cecil	40	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
Appling	5	Not Rated		Not Rated	
Iredell	5	Not Rated		Not Rated	
Wedowee	5	Not Rated		Not Rated	
PaC2:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
PaC2:					
Pacolet	45	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
On all	0.5			Many Historia	
Cecil	35	Somewhat limited	0.50	Very limited	1 00
		Restricted permeability	0.50	Slope Seepage	1.00 0.50
		Slope	0.37	Geepage	0.50
Appling	5	Not Rated		Not Rated	
Ashlar	5	Not Rated		Not Rated	
Sekil	5	Not Rated		Not Rated	
Wedowee	5	Not Rated		Not Rated	
PaD2:					
Pacolet	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Cecil	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted	0.50	Seepage	0.50
		permeability			
Appling	7	Not Rated		Not Rated	
Madison	7	Not Rated		Not Rated	
Sekil	6	Not Rated		Not Rated	
PcD3:					
Pacolet	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted	0.50	Seepage	0.50
		permeability			
Cecil	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Appling	8	Not Rated		Not Rated	
Ashlar	8	Not Rated		Not Rated	
Sekil	8	Not Rated		Not Rated	

Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
PcD3: Rock outcrop	1	Not Rated		Not Rated	<u>. </u>
PxB: Poindexter	85	Very limited Depth to bedrock	0.99	Very limited Seepage Depth to soft bedrock Slope	1.00 0.98 0.68
Iredell	5	Not Rated		Not Rated	
Orange	5	Not Rated		Not Rated	
Zion	5	Not Rated		Not Rated	
PxC: Poindexter	85	Very limited Depth to bedrock Slope	0.99 0.37	Very limited Slope Seepage Depth to soft bedrock	1.00 1.00 0.98
Mecklenburg	8	Not Rated		Not Rated	
Zion	7	Not Rated		Not Rated	
PxC3: Poindexter	85	Very limited Depth to bedrock Slope	0.99 0.37	Very limited Slope Seepage Depth to soft bedrock	1.00 1.00 0.98
Cullen	5	Not Rated		Not Rated	
Mecklenburg	5	Not Rated		Not Rated	
Zion	5	Not Rated		Not Rated	
PxD: Poindexter	85	Very limited Slope Depth to bedrock	1.00 0.99	Very limited Slope Seepage Depth to soft bedrock	1.00 1.00 0.98
Cullen	7	Not Rated		Not Rated	
Sekil	7	Not Rated		Not Rated	
Rock outcrop	1	Not Rated		Not Rated	
QU: Quarry	100	Not Rated		Not Rated	



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons		
and con Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	
RoB:	•				•	
Roanoke	85	Very limited		Very limited		
		Restricted	1.00	Depth to saturated	1.00	
		permeability Depth to saturated zone	1.00	zone Seepage	1.00	
		Filtering capacity	1.00			
Abell	8	Not Rated		Not Rated		
Lignum	7	Not Rated		Not Rated		
SeB:						
Sekil	85	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.68	
Cullen	5	Not Rated		Not Rated		
Fluvanna	5	Not Rated		Not Rated		
Poindexter	5	Not Rated		Not Rated		
SeC:						
Sekil	95	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00	
Poindexter	4	Not Rated		Not Rated		
Rock outcrop	1	Not Rated		Not Rated		
SeC3:						
Sekil	85	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00	
Cecil	5	Not Rated		Not Rated		
Cullen	5	Not Rated		Not Rated		
Fluvanna	5	Not Rated		Not Rated		
SeD: Sekil	85	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00	




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
SeD:					
Pacolet	5	Not Rated		Not Rated	
Wedowee	5	Not Rated		Not Rated	
Cullen	4	Not Rated		Not Rated	
Rock outcrop	1	Not Rated		Not Rated	
SeE:					
Sekil	95	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Rock outcrop	5	Not Rated		Not Rated	
SP:					
Sekil	35	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Poindexter	30	Very limited Slope Depth to bedrock	1.00 0.99	Very limited Slope Seepage Depth to soft bedrock	1.00 1.00 0.98
Rock outcrop	25	Not Rated		Not Rated	
Appling	3	Not Rated		Not Rated	
Cecil	3	Not Rated		Not Rated	
Cullen	2	Not Rated		Not Rated	
Fluvanna	2	Not Rated		Not Rated	
TaB2: Tatum	85	Somewhat limited Depth to bedrock Restricted permeability	0.64 0.50	Somewhat limited Slope Seepage Depth to soft bedrock	0.68 0.50 0.18
Nason	8	Not Rated		Not Rated	
Fluvanna	7	Not Rated		Not Rated	
TaC2:					




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and conname	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
TaC2: Tatum	85	Somewhat limited Depth to bedrock Restricted permeability Slope	0.64 0.50 0.37	Very limited Slope Seepage Depth to soft bedrock	1.00 0.50 0.18
Abell	5	Not Rated		Not Rated	
Manteo	5	Not Rated		Not Rated	
Nason	5	Not Rated		Not Rated	
TaD2: Tatum	85	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.64 0.50	Very limited Slope Seepage Depth to soft bedrock	1.00 0.50 0.18
Manteo	8	Not Rated		Not Rated	
Nason	7	Not Rated		Not Rated	
TmB3: Tatum	85	Somewhat limited Depth to bedrock Restricted permeability	0.64 0.50	Somewhat limited Slope Seepage Depth to soft bedrock	0.68 0.50 0.18
Cullen	8	Not Rated		Not Rated	
Nason	7	Not Rated		Not Rated	
TmC3: Tatum	85	Somewhat limited Depth to bedrock Restricted permeability Slope	0.64 0.50 0.37	Very limited Slope Seepage Depth to soft bedrock	1.00 0.50 0.18
Cullen	8	Not Rated		Not Rated	
Nason	7	Not Rated		Not Rated	
TmD3: Tatum	90	Very limited Slope Depth to bedrock Restricted permeability	1.00 0.64 0.50	Very limited Slope Seepage Depth to soft bedrock	1.00 0.50 0.18



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields			
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
TmD3:	_				
Manteo	8	Not Rated		Not Rated	
Rock outcrop	2	Not Rated		Not Rated	
To:					
Toccoa	85	Very limited Flooding Depth to saturated zone	1.00 0.84	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.17
Chewacla	8	Not Rated		Not Rated	
Congaree	7	Not Rated		Not Rated	
Ts:					
Toccoa	85	Very limited Flooding Depth to saturated zone	1.00 0.84	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.17
Chewacla	8	Not Rated		Not Rated	
Congaree	7	Not Rated		Not Rated	
TuB: Turbeville	95	Somewhat limited Restricted permeability	0.50	Very limited Slope Seepage	1.00 0.50
Masada	5	Not Rated		Not Rated	
W: Water	100	Not Rated		Not Rated	
WaB2: Wedowee	50	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
Appling	40	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.68
Iredell	5	Not Rated		Not Rated	
Pacolet	5	Not Rated		Not Rated	
WaC2:					



		Septic Tank		Sewage	
Map Symbol and Soil Name	Pct of	Absorption Fields		Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
WaC2:	45	O a see a see hand live idea d		Maria Barita d	
Wedowee	45	Somewhat limited Restricted	0.50	Very limited Slope	1.00
		permeability		Seepage	0.50
		Slope	0.37		
Appling	40	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	1.00
Ashlar	5	Not Rated		Not Rated	
Pacolet	5	Not Rated		Not Rated	
Sekil	5	Not Rated		Not Rated	
WaD2:					
Wedowee	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Appling	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
Ashlar	7	Not Rated		Not Rated	
Poindexter	7	Not Rated		Not Rated	
Sekil	6	Not Rated		Not Rated	
WdD3:					
Wedowee	45	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted	0.50	Seepage	0.50
		permeability		, 3	
Appling	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
Ashlar	7	Not Rated		Not Rated	
Poindexter	7	Not Rated		Not Rated	
Sekil	6	Not Rated		Not Rated	
We:					



	Det	Septic Tank		Sewage Lagoons	
Map Symbol and Soil Name	Pct of Map	Absorption Fields			
	Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
We:	0.5	V 15 17 1			
Wehadkee	85	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	1.00
Chewacla	8	Not Rated		Not Rated	
Forestdale	7	Not Rated		Not Rated	
WH:					
Wehadkee	45	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	1.00
Chewacla	35	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Congaree	7	Not Rated		Not Rated	
Forestdale	7	Not Rated		Not Rated	
Fork	6	Not Rated		Not Rated	
WkB:					
Wickham	95	Somewhat limited		Very limited	
		Restricted permeability	0.50	Seepage	1.00
		permeability		Slope	0.68
Altavista	5	Not Rated		Not Rated	
WoB:	0.5				
Worsham	85	Very limited	4.00	Very limited	4.00
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.68
Abell	8	Not Rated		Not Rated	
Colfax	7	Not Rated		Not Rated	
YoB:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
YoB: York	85	Very limited Depth to cemented pan Depth to saturated	1.00	Very limited Depth to cemented pan Slope	1.00
		zone Restricted permeability	0.50	Seepage	0.50
Lignum	8	Not Rated		Not Rated	
Nason	7	Not Rated		Not Rated	
ZoB: Zion	85	Very limited Depth to bedrock Restricted permeability	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 0.68 0.32
Forestdale	5	Not Rated		Not Rated	
Iredell	5	Not Rated		Not Rated	
Poindexter	5	Not Rated		Not Rated	
ZoB2: Zion	85	Very limited Depth to bedrock Restricted permeability	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 0.68 0.32
Enon	4	Not Rated		Not Rated	
Mecklenburg	4	Not Rated		Not Rated	
Poindexter	4	Not Rated		Not Rated	
Elbert	3	Not Rated		Not Rated	
ZoC2: Zion	85	Very limited Depth to bedrock Restricted permeability Slope	1.00 1.00 0.37	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.32
Sekil	8	Not Rated		Not Rated	
Poindexter	7	Not Rated		Not Rated	

